



Accessories for Standard Plugs and Jacks



For 3/8" Diameter sheath or 1/4" armor cable
Cable Clamp
 Part Number: TCA-107-102



Cable Clamps




For Lead Wire with or without Braid
Cable Clamp
 Part Number TCA-107-106
Neoprene Grommet
 Part Number TCA-109-102



Grommets used in place of Cable Clamp
 Part Number TCA-109-105
Washer protects fine wire from breakage
 Part Number TCA-120-101




Neoprene Wire Entrance Grommets Nylon Wire Protection Washers



Brass Crimping Inserts

Used Primarily with TEMPCO-PAK

Sheath Diameter	Part Number
Undrilled	TCA-112-101
.020" (0.5 mm)	TCA-112-102
.040" (1.0 mm)	TCA-112-103
.063" (1.6 mm)	TCA-112-104
.125" (3.17 mm)	TCA-112-105
.188" (4.77 mm)	TCA-112-106
.250" (6.35 mm)	TCA-112-107
.118" (3.0 mm)	TCA-112-108
.177" (4.5 mm)	TCA-112-109
.236" (6.0 mm)	TCA-112-110



Brass Brazing Inserts

Can be used with Tubing or TEMPCO-PAK

Sheath Diameter	Part Number
Undrilled	TCA-113-101
.020" (0.5 mm)	TCA-113-102
.040" (1.0 mm)	TCA-113-103
.063" (1.6 mm)	TCA-113-104
.125" (3.17 mm)	TCA-113-105
.188" (4.77 mm)	TCA-113-106
.250" (6.35 mm)	TCA-113-107
.236" (6.0 mm)	TCA-113-108

Accessories for Standard Plugs and Jacks

Compression Type Tube Adapters

- * Can be used with TEMPCO-PAK or Tubing
- * Both types have Brass Ferrules



Standard Tube Adapters


Affords higher degree of stability to Plug or Jack

Sheath Diameter	Part Number
.040"	TCA-103-106
.063"	TCA-103-102
.125"	TCA-103-101
.188"	TCA-103-103
.250"	TCA-103-104
.313"	TCA-103-107
.375"	TCA-103-108

Insert Tube Adapter

Secured by slots in body of the Plug or Jack (2-Pin or 3-Pin)

Sheath Diameter	Part Number
.040"	TCA-103-109
.063"	TCA-103-110
.125"	TCA-103-111



Stainless Steel Spool-Type Brazing Adapters

- * Provides maximum rigidity to Plug or Jack
- * For 2-Pin connectors only


Sheath Diameter	Part Number
Undrilled	TCA-113-109
.063"	TCA-113-110
.125"	TCA-113-111
.188"	TCA-113-112
.250"	TCA-113-113
.313"	TCA-113-114
.375"	TCA-113-115

Neoprene Boots for Standard Plug and Jack

- * Made of Flexible Neoprene
- * Sized to cover standard connectors even with accessories (such as Cable Clamps and Tube adapters)
- * 3/32" Wire Entrance
- * Order 2 per Assembly
- * 3/32" Wire Entrance
- * For 2-Pin Connections only

Part Number TCA-121-101

Brass Crimping/Brazing Inserts for Ultra-Temp Plugs & Jacks



Sheath Diameter	Part Number
.040"	TCA-112-119
.062"	TCA-112-117
.125"	TCA-112-118
.188"	TCA-112-120
.250"	TCA-112-121

CONTINUED 


Accessories for Standard Plugs and Jacks

Continued from previous page...

Dual Tube Adapters

- * Assemble Standard Connectors into Dual Connectors
- * For adjacent TEMPCO-PAK
- * Has Brass Ferrule
- * Use 2-Pin Connectors only


Sheath Diameter	Part Number
.063"	TCA-103-112
.125"	TCA-103-113
.188"	TCA-103-114
.250"	TCA-103-115
.313"	TCA-103-116
.375"	TCA-103-117



Dual Cable Clamps

- * Assemble Standard Connectors into Dual Connectors
- * Accommodate either One or Two Lead-In Cables
- * Use 2-Pin Connectors only


Part Number: **TCA-107-103**



Thermocouple Bracket

- * Used to mount T/C Probes on Panel or Oven Walls
- * Supplied with two #6 Self-Tapping Screws


Part Number: **SMPR-1062**



Filler Plate Set

- * When combined with Dual Tube Adapter or Dual Cable Clamp, the Filler Plate Set provides the 3/4" pin spacing of a single Duplex Connector.

Part Number: **TCA-107-104**



Accessories for Miniature Plugs and Jacks

Cable Clamps and Grommets

Cable Clamp (For 2-Pin Miniature)


Part Number: **TCA-107-105**

Cable Clamp (For 3-Pin Miniature)

Part Number: **TCA-107-109**

Neoprene Grommet

Part Number: **TCA-109-102**



Neoprene Wire Entrance Grommets Nylon Wire Protection Washers


- * For all Miniature Connectors
- * Grommet is used in place of cable clamp
- * Washer protects fine wire from breakage

Grommet

Part Number: **TCA-109-104**

Washer

Part Number: **TCA-120-102**




Crimping Inserts

- * For all Miniature Connectors
- * Used primarily with TEMPCO-PAK

Brazing Inserts

- * For all Miniature Connectors
- * Can be used with Tubing or TEMPCO-PAK

Sheath Diameter (in) (mm)	Part Number
Undrilled	TCA-112-111
.020 .50	TCA-112-112
.040 1.00	TCA-112-113
.063 1.60	TCA-112-114
.125 3.17	TCA-112-115
.188 4.77	TCA-112-116




Sheath Diameter (in) (mm)	Part Number
Undrilled	TCA-113-116
.020 .50	TCA-113-117
.040 1.00	TCA-113-118
.063 1.60	TCA-113-119
.125 3.17	TCA-113-120
.188 4.77	TCA-113-121



Mini Insert Tube Adapter

- * Secured by slots in body of the Plug or Jack (2-pin or 3-Pin)
- * Compression Fitting has Brass Ferrules
- * Can be used with TEMPCO-PAK or Tubing
- * For all Miniature Connectors only

Sheath Diameter (in) (mm)	Part Number
.040 1.00	TCA-103-118
.063 1.60	TCA-103-119
.125 3.17	TCA-103-120



Neoprene Boot for Miniature Plug and Jack

- * Made of Flexible Neoprene
- * Sized to cover miniature connectors even with accessories (such as Cable Clamps and Tube Adapters)
- * 3/32" Wire Entrance
- * Order 2 per Assembly
- * For 2-Pin Connections only

Part Number: **TCA-121-102**

