


Standard CRK Linear Housings

CRK housings include the following components: housing body, end plates, 5/16-18 mounting bolts, cover and ground lug.

NOTE: These housings do not include the reflectors needed for mounting the heaters (see page 7-20) or the terminal block (Part Number EHD-108-101) required for wiring each heater (see page 7-21).



Standard (Non-Stock) Housing Lengths Table

Nominal Housing Length in	"A" Dim. in	"A" Dim. mm	Housing Part Number	Examples of Possible E-Mitter Configurations	Maximum Power
5	5.19	131.8	CRK00024	1 CRC or 1 CRZ	.5KW
10	10.13	257.2	CRK00001	1 CRB or 1 CRN, 2 CRCs or 2 CRZs	1KW
15	15.06	382.6	CRK00023	3 CRCs or 3 CRZs (1 CRB and 1 CRC) or (1 CRN and 1 CRZ)	1.5KW
20	20.00	508.0	CRK00002	2 CRBs or 2 CRNs, 4 CRCs or 4 CRZs (1 CRB and 2 CRCs) or (1 CRN and 2 CRZs)	2KW
25	24.94	633.4	CRK00022	5 CRCs or 5 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	2.5KW
30	29.88	758.8	CRK00003	3 CRBs or 3 CRNs, 6 CRCs or 6 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	3KW
35	34.81	884.2	CRK00019	7 CRCs or 7 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	3.5KW
40	39.75	1009.7	CRK00004	4 CRBs or 4 CRNs, 8 CRCs or 8 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	4KW
50	49.63	1260.5	CRK00021	5 CRBs or 5 CRNs, 10 CRCs or 10 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	5KW
60	59.50	1511.3	CRK00027	6 CRBs or 6 CRNs, 12 CRCs or 12 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	6KW
70	69.38	1762.1	CRK00029	7 CRBs or 7 CRNs, 14 CRCs or 14 CRZs a combination of (CRBs and CRCs) or (CRNs and CRZs)	7KW

Standard housings are available from as-assembled stock in 10", 20", 30", 40" and 50" lengths. Other housing lengths can be made to your requirements.

Ordering Information

Custom Engineered/Manufactured CRA Heater Assembly

Standard Assemblies

Order by Part Number on page 7-16. Delivery is Stock to 3 days.

Understanding that a CRA linear structural housing can be very application specific, **TEMPCO** will design and manufacture a CRA heater assembly to meet your requirements. **Standard lead time is 3 weeks.**

Please Specify the following:

- Housing Length
- E-Mitter Color
- E-Mitter Size, Electrical Ratings or Part Number
- E-Mitter with Built-In Type K T/C, Size, Electrical Ratings or Part Number



If you should encounter any problems or need technical support in the design of the CRA system consult Tempco. Our team of professionals will provide you with the right solution for your application.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

(800) 323-6859 • Email: sales@tempco.com